

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10629093".rlan. or ("10".src. and "629093".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/02/23 15:39
S2	1	S1 and search adj group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 15:40
S3	2	US-6032207-\$.DID.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 19:47
S4	2	("6,434,666").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 20:16
S5	1649	(711/113).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 20:18
S6	0	("cachewith(reserv\$3lock\$3) with(areaspacelineset)").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 20:26
S7	2525	cache with (reserv\$3 lock\$3) with (area space line set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 20:26
S8	1614	S7 and @ay<"2004"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 20:26

S9	0	("2005/0102465").URPN.	USPAT	OR	ON	2009/02/23 20:27
S10	0	("2005/0102465").URPN.	USPAT	OR	ON	2009/02/23 20:27
S11	55	((ROBERT) near2 (ROYER)). INV.	US-PGPUB; USPAT	OR	ON	2009/02/23 20:28
S12	34	cache with (predefin\$3 predetermin\$3) with area with (lock\$3 reserv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 20:57
S13	0	pinned adj area with non- pinned adj area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:00
S14	0	pinned adj area with non? pinned adj area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:00
S15	1	pin\$3 near2 area with non?pin \$3 near3 area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:01
S16	49	reserv\$3 near2 area with non? reserv\$3 near3 area	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:01
S17	2	reserv\$3 near3 unallocat\$3 with (cache near2 line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:12
S18	2	reserv\$3 near3 unallocat\$3 near3 (area set space line) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:12
S19	2	("6223256").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:15

S20	4	("2002062424").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:20
S21	0	("cachewithreserv \$3withunallocat\$3").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/23 21:22
S22	9	cache with reserv\$3 with unallocat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:22
S23	12	cache with (reserv\$3 sav\$3 lock\$3) with unallocat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:31
S24	3	S23 not S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 21:32
S25	6	reserv\$3 adj2 cache near3 line with lock\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:30
S26	0	cache with structure with reserv\$3 with (non?reserv\$3 non adj reserv\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:33
S27	59	cache with structure with reserv\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:33
S28	9472	(predefin\$3 predetermin\$3) with (sav\$3 lock\$3 reserv\$3) near3 (area space line set location)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:39

S29	84	(predefin\$3 predetermin\$3) with (sav\$3 lock\$3 reserv\$3) near3 (area space line set location) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:39
S30	3	(fixed near2 number) with (sav\$3 lock\$3 reserv\$3) near3 (area space line set location) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:51
S31	0	rserved near2 portion with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:53
S32	95	reserved near2 portion with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/23 22:53
S33	1	10/995183.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/24 15:11
S34	5	catb with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:26
S35	9	cache with reserv\$3 with (unallocat\$3 unassign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:28
S36	40	cache with (assign\$3 reserv \$3 isolat\$3) with (unallocat\$3 unassign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:42
S37	242	(reserv\$3) with (unallocat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:45

S38	78	(reserv\$3) with (unallocat\$3) and cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:45
S39	69	S38 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:45
S40	53	unallocat\$3 with allocat\$3 with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:47
S41	16	unallocat\$3 with allocat\$3 with (area line space sect\$3) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:47
S42	16	unallocat\$3 with allocat\$3 with (area line space sect\$3) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:48
S43	213	cache with free adj (list sect \$3 line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 17:59
S44	8	allocatable with allocat\$3 with (area line space sect\$3) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:10
S45	34	cache with free adj (sect\$3 line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:12
S46	2	("6032270").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/02/26 18:15

S47	335	separat\$3 near2 cache near2 (area section line)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:16
S48	0	cache with prereserv\$3 with (unallocat\$3 unassign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:18
S49	11	reserv\$3 with (free) near3 (section line area) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:18
S50	69636	pinned	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:21
S51	188	pinned with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:21
S52	45	(cache adj allocation).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:25
S53	3	pinned adj data with unallocat \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:28
S54	119	(cache adj management).ti. and cache near3 (line section area)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:29
S55	136	cache with (lookable searchable search adj area look\$3 adj area readable adj area)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 18:38

S56	4546	lock\$3 with unlock\$3 with data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 19:50
S57	115	lock\$3 with unlock\$3 with (area section line portion) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 19:51
S58	2	fix\$3 with lock\$3 with unlock \$3 with (area section line portion) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 19:51
S59	0	cache with (hidden) near2 (line section area portion) with unhidden	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:01
S60	24	cache with (hidden) near2 (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:01
S61	1740	cache with (hidden shad\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:03
S62	113	cache with (hidden shad\$3) near2 (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:04
S63	120	cache with (hidden) with (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:07
S64	48	cache with (inaccessible) with (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:08

S65	5	cache with (disabl\$3) with (enabl\$3) with (line section area portion) with (chang\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:15
S66	0	cache with (line section area portion) with unhidden	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:19
S67	14	cache with (line section area portion) with unblock\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:19
S68	957	allocat\$3 near2 unallocated	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:21
S69	15	allocat\$3 near2 unallocated with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:21
S70	720	cache with (accessible) with (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:23
S71	48	cache with (inaccessible) with (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:23
S72	17	S70 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:23
S73	10	way with cache with locked with remain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 20:59

S74	0	cache with visuable with remain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:02
S75	0	cache with visiable with remain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:02
S76	0	cache with invisiable with remain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:02
S77	247	cache with (disabl\$3) with (enabl\$3) with (line section area portion)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:04
S78	19	cache with (disabl\$3) with (enabl\$3) with (line section area portion) with remain\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:04
S79	7	reserv\$3 with pinned with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/02/26 21:54
S80	1	"10629093".rlan. or ("10".src. and "629093".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/06/29 21:49
S81	866	CATB constant near access near time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 21:51
S82	754	CATB constant near access near time near bound\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 21:51

S83	754	CATB constant near access near time near bound\$3 with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 21:51
S84	6	((CATB) constant near access near time near bound\$3) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 21:52
S85	2	US-6223256-\$.DID.	US-PGPUB; USPAT; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 22:07
S86	4	US-6223256-\$.DID. OR US- 5960454-\$.DID.	US-PGPUB; USPAT; FPRS; EPO; DERWENT; IBM_TDB	OR	ON	2009/06/29 22:12
S87	1	"10629093".rlan. or ("10".src. and "629093".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/06/30 19:05
S88	1697	(711/113).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/30 19:05
S89	1	"10629093".rlan. or ("10".src. and "629093".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/07/01 11:27
S90	4	2002/0108021	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/07/01 11:31
S91	6	((CATB) constant near access near time near bound\$3 fixed adj siz\$3 adj array) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:32
S92	3	(fixed adj siz\$3 adj array) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/01 11:51
S93	1	"10629093".rlan. or ("10".src. and "629093".ap.)	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2009/12/20 15:25

S94	6	((CATB) constant near access near time near bound\$3 fixed adj siz\$3 adj array) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/20 15:26
S95	1774	(711/113).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/12/20 16:09
S96	207	(pinned pin\$3 lock\$3 protect \$3 unus\$3) near2 cache with allocat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/31 16:04
S97	7	(pinned pin\$3 lock\$3 protect \$3 unus\$3) near2 cache with allocat\$3 with reserv\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/31 16:04
S98	94	S96 and @ad<"20030728"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/31 16:06
S99	2	(pinned pin\$3 lock\$3 protect \$3 unus\$3) near2 cache with allocat\$3 with hash adj table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/31 16:57
S100	20	(pinned pin\$3 lock\$3 protect \$3 unus\$3) with hash adj table with allocat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/05/31 16:58
S101	1849	(711/113).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/04 17:06
S102	6	((CATB) constant near access near time near bound\$3) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/04 17:07

S107	625	(711/129).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 15:01
S108	279	(711/123).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 15:02
S109	1859	(711/113).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 15:02
S110	891	(711/128).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 15:14
S111	3112	(711/118).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/17 15:14
S112	61	((ROBERT) near2 (ROYER)). INV.	US-PGPUB; USPAT	OR	ON	2010/06/17 15:18
S114	45681	intel.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/17 15:39
S115	6	(CATB constant near access near time near bound\$3 fixed adj siz\$3 adj array) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/18 10:57
S116	44	cache with (assign\$3 reserv \$3 isolat\$3) with (unallocat\$3 unassign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/18 10:58

S117	625	(711/129).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 10:58
S118	2	S116 and S117	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/18 10:58
S119	279	(711/123).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 10:58
S120	0	S116 and S119	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/18 10:58
S121	1859	(711/113).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 10:58
S122	5	S116 and S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/18 10:58
S123	891	(711/128).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 10:59
S124	1	S116 and S123	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/18 10:59
S125	3112	(711/118).OCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/06/18 10:59

S126	4	S116 and S125	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/18 10:59
S127	45727	intel.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/20 13:20
S128	44	cache with (assign\$3 reserv \$3 isolat\$3) with (unallocat\$3 unassign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/20 13:20
S129	3	S128 and S127	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/20 13:20
S130	10	((cache memory) and (partition\$3) and (pin pinned pin\$3 lock\$3) and reserv\$3 and (allocat\$3 unallocat\$3)). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/20 13:24
S131	99	("20050102465" "7177983" "20050038963" "4277826" "5889996" "5983310" "6141732" "6356996" "6408384" "6470424" "7185222" "20050120267" "6901483" "20040083341" "4500954" "4574346" "4779189" "4875155" "4420807" "5469562" "5481699" "5502833" "5721956" "5787242" "5960454" "6513097" "6658522" "6658542" "6728153" "6985970" "7080207" "7082495" "7454585" "7484062" "7506132" "7543109" "7620773" "20020082858" "20030070041" "20030204677" "20040032777" "20040064647" "20040073768" "20040215849" "20050018152")	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2010/06/20 15:22

		"20060248387" "20070150659" "20070150675" "20070150676" "20080147985").pn.				
S132	98	("20050102465" "6452823" "6920533" "7124243" "20030005223" "20040230737" "20090157966" "20090157979" "5889996" "4872111" "4943908" "5247643" "5321828" "5341487" "5574922" "5717916" "5761736" "5764934" "5774685" "5845107" "5881258" "5893121" "5896513" "5933599" "5960463" "5996050" "6018786" "6076150" "6085295" "6115795" "6138206" "6148378" "6317805" "6356983" "6651180" "6675280" "6754775" "6760815" "6772383" "6826651" "6839814" "6859864" "6874066" "6922755" "6922756" "6938126" "6938252" "6954840" "7039764" "7091971").pn.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2010/06/20 15:23
S133	44	cache with (assign\$3 reserv \$3 isolat\$3) with (unallocat\$3 unassign\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/21 09:56
S134	99	("20050102465" "7177983" "20050038963" "4277826" "5889996" "5983310" "6141732" "6356996" "6408384" "6470424" "7185222" "20050120267" "6901483" "20040083341" "4500954" "4574346" "4779189" "4875155" "4420807" "5469562" "5481699" "5502833" "5721956" "5787242" "5960454" "6513097" "6658522" "6658542" "6728153" "6985970" "7080207" "7082495" "7454585" "7484062" "7506132" "7543109" "7620773" "20020082858"	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2010/06/21 09:56

		"20030070041" "20030204677" "20040032777" "20040064647" "20040073768" "20040215849" "20050018152" "20060248387" "20070150659" "20070150675" "20070150676" "20080147985").pn.				
S135	4	S133 and S134	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2010/06/21 09:56
S136	98	("20050102465" "6452823" "6920533" "7124243" "20030005223" "20040230737" "20090157966" "20090157979" "5889996" "4872111" "4943908" "5247643" "5321828" "5341487" "5574922" "5717916" "5761736" "5764934" "5774685" "5845107" "5881258" "5893121" "5896513" "5933599" "5960463" "5996050" "6018786" "6076150" "6085295" "6115795" "6138206" "6148378" "6317805" "6356983" "6651180" "6675280" "6754775" "6760815" "6772383" "6826651" "6839814" "6859864" "6874066" "6922755" "6922756" "6938126" "6938252" "6954840" "7039764" "7091971").pn.	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2010/06/21 09:56
S137	2	S133 and S136	US-PGPUB; USPAT; USOCR; DERWENT	OR	ON	2010/06/21 09:56

6/ 21/ 2010 9:58:48 AM

C:\ Documents and Settings\ ychoe\ My Documents\ EAST\ Workspaces\ 10.629093.2009.02.22.wsp